

Underwater Glider Networks for Adaptive Ocean Sampling

Naomi Leonard

Department of Mechanical & Aerospace Engineering

Princeton University

Princeton, NJ 08544

phone: (609) 258-5129 fax: (609) 258-6109 email: naomi@princeton.edu

Clarence Rowley

Department of Mechanical & Aerospace Engineering

Princeton University

Princeton, NJ 08544

phone: (609) 258-7321 fax: (609) 258-6109 email: cwrowley@princeton.edu

Jerrold Marsden

Control and Dynamical Systems 107-81

California Institute of Technology

Pasadena, CA 91125

phone: (626) 395-4176 fax: (626) 796-8914 email: marsden@cds.caltech.edu

Grant Number: N000140210826

<http://www.princeton.edu/~naomi>

LONG-TERM GOALS

The long-term goal of this research is to enable a cooperating group of underwater gliders to perform efficiently and robustly as an autonomous, adaptive sampling network in a three-dimensional, dynamic ocean environment. This will involve developing the mathematical infrastructure and design tools for effecting feedback-controlled, schooling-like network behavior in an unsteady flow field while exploiting the natural dynamics of the ocean.

OBJECTIVES

We are interested in developing the mathematical framework and the integrated design methodology for coordinating a glider network to provide improved sampling efficiency and efficacy using ocean model prediction data, observations and Lagrangian structure computations. The fleet of gliders serves as a mobile and re-configurable sensor network for investigating the ocean. Our technical objectives include the following:

1. To develop glider network control strategies that exhibit “emergent intelligence” at the group level using simple control laws at the individual level, much like schools of fish. Group-level behaviors may include the ability to maneuver in a particular formation, adjust the group shape, size, orientation and density in response to measured (or predicted) data in real time, climb gradients and track and map features.
2. To investigate using the method of controlled Lagrangians as a framework in which network control strategies can be derived from artificial potentials and gyroscopic forces and can be integrated with a graph theoretic setting for describing a time-varying communication topology.

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 30 SEP 2002		2. REPORT TYPE		3. DATES COVERED 00-00-2002 to 00-00-2002	
4. TITLE AND SUBTITLE Underwater Glider Networks for Adaptive Ocean Sampling				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Department of Mechanical & Aerospace Engineering,,Princeton University,,Princeton,,NJ, 08544				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT The long-term goal of this research is to enable a cooperating group of underwater gliders to perform efficiently and robustly as an autonomous, adaptive sampling network in a three-dimensional, dynamic ocean environment. This will involve developing the mathematical infrastructure and design tools for effecting feedback-controlled, schooling-like network behavior in an unsteady flow field while exploiting the natural dynamics of the ocean.					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 7	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

3. To investigate the use of dynamical system theory tools and software for computing Lagrangian structures to understand the dynamics and control of underwater gliders in a three-dimensional ocean environment.
4. To extend the glider network control strategies so that they not only perform successfully in spite of a dynamic ocean environment but also perform well because they exploit knowledge of the dynamics of the sea and the consequential tendencies of the gliders to move easily in certain directions. In particular, the objective is to integrate the network control strategies with the computation and analysis of Lagrangian structures.
5. To develop variational integrators for the simulation of one or more underwater vehicles and investigate the interaction of vehicles and also the interaction with vortex structures.
6. To apply these technologies to adaptive sampling in the AOSN-II Monterey Bay Predictive Skills Experiment in the summer of 2003. This will involve integration with ocean model predictive capabilities and practical glider operating conditions.

APPROACH

The approach and methodologies employed, corresponding to the above objectives, are as follows:

1. We will build on the technique of adaptive gradient climbing and maneuvering (see Leonard and Fiorelli [2001], Ogren, Fiorelli and Leonard [2002], Bachmayer and Leonard [2002]), whereby the group, serving as a re-configurable sensor array, uses its local information and virtual leaders to locate interesting regions and to adapt accordingly. The vehicles respond according to feedback control laws derived from artificial potentials and stay near virtual leaders that are driven by measurements of the environment, for example, gradient measurements.
2. The use of controlled Lagrangians has already been successful in the control of single systems (see, for example, Chang et al. [2002]). An important next step is to develop this theory in a network context (with the individual systems connected by sensor and information flow) and ultimately to merge it with the other techniques for a glider network, as in item 1. This effort will require models for gliders, such as those developed by Leonard and Graver [2001].
3. Much progress has been made, using the software MANGEN, on the problem of understanding flow structures in Monterey Bay and other ocean and coastal environments. We are in the process of merging this work with glider dynamics so that we can determine the effect of the dynamics on the vehicles and how to respond appropriately.
4. Our initial strategy is to navigate, using groups of vehicles moving together in a coordinated way as a result of potential and gyroscopic control strategies, along *navigation channels* (that is, stable manifolds, or more precisely, repelling material lines) in the sense of the finite-time, computational theory (see, for instance, Haller and Yuan [2002]) in order to reach the *front surfaces* (that is, unstable manifolds, or more precisely, attracting material lines). George Haller of MIT is a consultant and collaborator.
5. We plan to use existing variational methodologies, such as those in Rowley and Marsden [2002] and references therein as simulation tools; these methods show superior performance in terms of energy behavior, especially for long-time or complex simulations (see, for instance, Lew et al [2002]). We aim to also make use of known variational structures in fluid mechanics, especially those involving

the interaction of solids and fluids (e.g., Leonard and Marsden [1997]) and the interaction of vortex structures and solids (e.g., Shashikanth et al [2002]).

6. To contribute to the adaptive ocean sampling experiment in Monterey Bay in the summer of 2003, we will integrate our methods with the tools of the collaborating research teams so that we can demonstrate some of the versatility and capability of an underwater glider fleet serving as a sensor network. The output from the ocean models, namely the predicted data and the determination of areas of greatest model uncertainty and scientific interest, will provide the input to our glider network motion planning and feedback control strategy. Feeding back model prediction data and if possible observational data, the strategy will address both the problem of getting the glider network to the features/sites of interest and the problem of guiding the glider network so that it most effectively samples the features/sites of interest once it is there. We have already begun coordination with the Harvard team to link the HOPS model with control strategies and with the experimental team of Dave Fratantoni at WHOI to implement control laws on the underwater vehicles, first in Buzzard's Bay and then in Monterey Bay. We are building a simulator to use the model predicted data to test various control strategies we have developed, including gradient climbing and virtual leader methods, and also to test the effect of the currents using the MANGEN software which identifies coherent Lagrangian structures.

The effort is led by N. Leonard (PI) with the Caltech contribution led by J. Marsden (co-PI). C. Rowley (co-PI) focuses on low-dimensional modeling of fluids and R. Bachmayer (research staff at Princeton) focuses on simulation and implementation issues. Graduate students E. Fiorelli and P. Bhatta (Princeton) and S. Shadden (Caltech) focus on the coordinated control strategies and the integration with Lagrangian structure computations. C. Coulliette (post-doc at Caltech) and Francois Lekien (graduate student at Caltech) focus on computing and exploiting Lagrangian structures from flow data.

WORK COMPLETED

This effort started late in FY002. Therefore, while several of the objectives discussed above have been initiated, none of the proposed work items is fully completed yet.

RESULTS

Some preliminary results show that:

1. The effect of the (time-dependent) currents in Monterey Bay on the underwater vehicles planned for use in the summer 2003 experiment is considerable and must be taken into account. In addition, simple simulation examples show that the currents can also be exploited; in particular, the coherent Lagrangian structures identified by MANGEN play a key role.
2. It is possible to navigate along interesting flow structures in Monterey Bay using the techniques of virtual leaders and gradient climbing, as shown in Figure 1.




Figure 1: Paths of three vehicles in a sampling network traversing a ridge of interest.

3. An improvement of data gathering and front tracking capability can be achieved (in a preliminary simulation environment) by using strategies involving groups of vehicles.
4. An examination of some MANGEN two-dimensional simulations based on HF Radar Data suggests that stable material lines correspond to temperature fronts in Monterey Bay. Figure 2 shows the superposition of the velocity field and the temperature field and from this one can see a correlation between these two. This figure provides motivation for us, in the future, to explore the conjecture that fronts, such as temperature fronts, relate to attracting material lines.




Figure 2: Superposition of flow field on temperature field indicates coincidence of Lagrangian structures with fronts.

IMPACT/APPLICATIONS

The infrastructure we are developing will lead to the understanding of and design of specific control strategies for underwater glider networks in a dynamic ocean environment. This impacts not only the gathering of data for the adaptive ocean sampling experiment to be performed next summer in Monterey Bay, but most importantly the longer term plans for finding and tracking features of interest and gathering data all in a systematic and sustainable way in various regions of Earth's oceans.

TRANSITIONS

This effort started late in FY002 and so none of the planned transitions (for example, to the other AOSN-II teams) are completed yet.

RELATED PROJECTS

Leonard participates in an NSF/KDI funded project joint with A.S. Morse (Yale), P. Belhumeur (Columbia), R. Brockett (Harvard), D. Grunbaum and J. Parrish (U. Washington) on coordination of natural and man-made groups. Schooling of fish and “schooling” of autonomous underwater vehicles are studied. A multiple-vehicle experimental test-bed is being developed at Princeton. See <http://graham.princeton.edu/~auvlab/> and <http://www.eng.yale.edu/grouper/>

Leonard participates in an AFOSR funded project on Coordinated Control of Groups of Vehicles. This is a joint project with V. Kumar and J. Ostrowski at University of Pennsylvania. A focus of the project is understanding cooperation in the context of coordinated control of distributed, autonomous agents, and the collection and fusion of the sensor information that they retrieve.

With colleague E. Belbruno, Leonard has worked on a project for Global Aerospace Corporation (funded by NASA) on low-energy trajectory control of a stratospheric balloon network. The objective is to manage the geometry of the constellation of (actuated) balloons for science and communication applications in the presence of a non-uniform flow field at 35 km altitude much like the problem of coordination of groups of underwater gliders in a non-uniform flow field.

Leonard and Marsden work on control and stabilization of mechanical systems, including autonomous underwater vehicles with internal actuation (e.g., internal rotors) using the method of controlled Lagrangians. This is a joint project with A.M. Bloch (U. Michigan), D.E. Chang (UCSB) and C. Woolsey (Virginia Tech).

Marsden is involved in an NSF/ITR project at Caltech on *Multiscale modeling and simulation* that aims to improve both the mathematical models and the simulation of multiscale phenomena, including fluid dynamical simulations and the variational integrator methodology. That project will interact with the present one in the simulation and modeling aspects of the problem.

Marsden is also working with Chad Couliette (who is the PI) on the ONR project *Lagrangian Analysis and Forecasting in the Oceans and Coastal Zones*. This project uses dynamical systems techniques to develop a detailed understanding of transport and mixing in the oceans and coastal zones. Ultimately, the program will lead to Lagrangian forecasting—the ability to make specific deterministic predictions about the advection and diffusion of passive scalars in the ocean. That project developed the software MANGEN which will be quite useful in the context of the current proposal. The project also developed the Open-boundary Modal Analysis (OMA) which is a substantial improvement on current techniques

for data interpolation (to avoid dead zones, for example). These techniques may be quite useful, especially in the long run, in the problem of incomplete data sets in, for example, Monterey Bay.

REFERENCES

Bachmayer, R. and N.E. Leonard [2002], Vehicle networks for gradient descent in a sampled environment, *Proc. 41st IEEE Conf. Decision and Control*, (to appear).

Chang, D, A. M. Bloch, N.E. Leonard, J. E. Marsden and C. Woolsey [2002], The equivalence of controlled Lagrangian and controlled Hamiltonian systems, *Control, Optimisation and the Calculus of Variations* (special issue dedicated to J.L. Lions), **8**, 393-422.

Coulliette, C., Lekien, F., Haller, G., Marsden, J., and Paduan, J.D. [2002], Optimal Pollution Release in Monterey Bay Based on a Nonlinear Analysis of Coastal Radar Data, Submitted: *Phy. Rev. Letters*.

Coulliette, C., Lekien, F., Haller, G., Marsden, J., and Paduan, J.D. [2002], Lagrangian structures in HF radar data of Monterey Bay as revealed by finite-time Lyapunov exponents, with application to optimal pollution release times, Submitted to *Journal of Physical Oceanography*.

Haller, G. and G. Yuan, [2000] Lagrangian coherent structures and mixing in two-dimensional turbulence. *Physica D* **147**, 3-4.

Lekien, F., Coulliette, C., and Marsden, J. [2003], Lagrangian Structures in Very High-Frequency Radar Data and Optimal Pollution Timing, *Proceedings of the 7th Experimental Chaos Conference, American Institute of Physics, San Diego, CA*; to be published March (2003).

Leonard, N.E. and E. Fiorelli [2001], Virtual leaders, artificial potentials and coordinated control of groups, *Proc. 40th IEEE Conf. Decision and Control*, 2968-2973.

Leonard, N.E. and J.G. Graver [2001], Model-based feedback control of autonomous underwater gliders, *IEEE J. Oceanic Engineering*, Special issue on Autonomous Ocean-Sampling Networks, **26**, 633-645.

Leonard, N. E. and J. E. Marsden [1997], Stability and drift of underwater vehicle dynamics: mechanical systems with rigid motion symmetry, *Physica D*, **105**, 130-162.

Lew, A., J. E. Marsden, M. Ortiz and M. West [2002], Asynchronous variational integrators, *Archive for Rat. Mech. An* (to appear).

Ogren, P., E. Fiorelli and N.E. Leonard [2002], Formations with a mission: Stable coordination of vehicle group maneuvers, *Proc. 15th Int. Symp. Mathematical Theory of Networks and Systems*.

Rowley, C. W. and J. E. Marsden [2002], Variational integrators for point vortices, *Proc. 41st IEEE Conf. Decision and Control*, (to appear).

Shashikanth, B. N, J. E. Marsden, J. W. Burdick and S. D. Kelly [2002], Hamiltonian structure of a 2D rigid circular cylinder interacting dynamically with N point vortices, *Phys. of Fluids*, **14**, 1214-1227.

PUBLICATIONS

This effort started late in FY002, and so no papers funded by this project have appeared yet.